

50th year

DATASHEET



H SERIES

MODULAR SYSTEM

WITH MOUNTING PLATE

OUTDOOR

CRS

DATASHEET

H SERIES

yespan®

MODULAR SYSTEM

WITH MOUNTING PLATE

OUTDOOR

CRS



DIMENSIONS

WIDTH mm	HEIGHT mm	DEPTH mm
400	1400	400
500	1600	500
600	1800	600
700	2000	800
800	2200	
1000		
1200		

MATERIAL DETAILS	THICKNESS	MATERIAL	COATING
Enclosure Frame	1,50 mm	275 gr/m ² Galvanized CRS	7035
Door	1,50 mm	275 gr/m ² Galvanized CRS	7035
Back Wall	1,50 mm	275 gr/m ² Galvanized CRS	7035
Bottom Plate	1,50 mm	275 gr/m ² Galvanized CRS	Unpainted
Plinth Cover	2,00 mm	CRS	U740V8B
Plinth Corner	2,00 mm	275 gr/m ² Galvanized CRS	U740V8B
Canopy	1,50 mm	275 gr/m ² Galvanized CRS	7035
Back Mounting Plate	2,00 mm	275 gr/m ² Galvanized CRS	Unpainted

DATASHEET

H SERIES

yespan®

MODULAR SYSTEM

WITH MOUNTING PLATE

OUTDOOR

CRS

PROTECTION CLASS

: IP65

IK CODE

: IK10

SURFACE TREATMENT

: Nanoceramic coating

COATING

: Ral 7035 wrinkle UV resistive polyester powder coating

LOCK

: Polyamide handle with key, 3 points latch

HINGES

: Hidden hinges, stainless steel.
130° opening angle

INSETS

: Door earthing cable (1 piece for each door)

GTIP CODE

: 8538.10.00.00.00

CERTIFICATES

: IEC 62208-TSE
IP65 Test
IK10 Test
IEC 60068 Seismic Test Zone 4
GR63 Core Seismic Test
ASTM 4169 Transportation Test
Wind Resistance Test
EAC Certificate
RED Certificate

DECLARATIONS

: CE Declaration of Conformity

YESPAN ELEKTRİK SANAYİ VE TİCARET LTD. ŞTİ.

Head Office : Umurlu mahallesi Aydın OSB 2.Cadde No:41 09630 Efeler / AYDIN - TÜRKİYE
Phone : +90.256. 211 56 56 pbx • info@yespan.com

Branch : Perpa Ticaret Merkezi A Blok Kat: 11 No: 1667 Şişli / İSTANBUL - TÜRKİYE

