

50th year

DATASHEET



K SERIES

MODULAR SYSTEM

WITH MOUNTING PLATE

INDOOR

CRS

DATASHEET

K SERIES

yespan®

MODULAR SYSTEM

WITH MOUNTING PLATE

INDOOR

CRS



DIMENSIONS

WIDTH mm	HEIGHT mm	DEPTH mm
400	2000	400
600	2200	600
700		800
800		1000
900		
1000		
1200		

MATERIAL DETAILS	THICKNESS	MATERIAL	COATING
Enclosure Frame	2,00 mm	275 gr/m ² Galvanized CRS	7035
Door	2,00 mm	CRS	7035
Back Wall	1,00 mm	CRS	7035
Bottom Plate	1,50 mm	275 gr/m ² Galvanized CRS	Unpainted
Top Plate	2,00 mm	275 gr/m ² Galvanized CRS	7035
Plinth Cover	2,50 mm	CRS	7035
Plinth Corner	2,50 mm	275 gr/m ² Galvanized CRS	Unpainted
Back Mounting Plate	2,00 mm	275 gr/m ² Galvanized CRS	Unpainted

OPTIONAL DETAILS	THICKNESS	MATERIAL	COATING
Trim Strip	1,00 mm	CRS	5018
Separation Sheet	1,00 mm	275 gr/m ² Galvanized CRS	Unpainted
Side Mounting Plate	2,00 mm	275 gr/m ² Galvanized CRS	Unpainted
Front Mounting Plate	1,50 mm	275 gr/m ² Galvanized CRS	Unpainted

DATASHEET

K SERIES

yespan®

MODULAR SYSTEM

WITH MOUNTING PLATE

INDOOR

CRS

PROTECTION CLASS ACCORDING TO IEC 60 529 : IP55

IK CODE : IK10

SURFACE TREATMENT : Nanoceramic coating

COATING : Ral 7035 wrinkle UV resistive polyester powder coating

LOCK : Polyamide handle with key, 4 points latch

HINGES : Hidden hinges, zinc coated.
130° opening angle

INSETS : Door earthing cable (1 piece for each door)

GTIP CODE : 8538.10.00.00.00

CERTIFICATES : IEC 62208
IP55 Test
IK10 Test
EAC Certificate
RED Certificate

DECLARATIONS : CE Declaration of Conformity

YESPAN ELEKTRİK SANAYİ VE TİCARET LTD. ŞTİ.

Head Office : Umurlu mahallesi Aydın OSB 2.Cadde No:41 09630 Efeler / AYDIN - TÜRKİYE
Phone : +90.256. 211 56 56 pbx • info@yespan.com

Branch : Perpa Ticaret Merkezi A Blok Kat: 11 No: 1667 Şişli / İSTANBUL - TÜRKİYE

